Panasonic BUSINESS





The multi-function printers used in today's offices have to offer high productivity, durability, and reliability -- but they also need to minimise running costs. Conventional A4 multi-function printers had trouble meeting all these needs.

Panasonic's DP-MB500 Series takes the best features of both A3 and A4 multi-function printers to meet these challenges



The DP-MB500 Series offers the compact body size of an A4 multi-function printer while letting you use A3 prints. That means you can use a wide range of paper, from small A6 sheets all the way up to A3.


Extra A3 Size Printing Function

The Multi-Purpose Tray holds paper in sizes from A6 to A3. It quickly provides A3 printing when needed. Ideal for a wide variety of business uses.



Compact Body Size

In addition to having Print, Copy, Scan, and Fax functions, the DP-MB500 Series supports A3 size printing in a body size that is almost as compact as an A4 multi-function printer. This lets you use your workspace more




 ${}^*Footprint comparison with an A3 multi-function printer featuring an A4 printing speed of 45 pages per minute. \\$

Advanced Features


Quick ID Copy

Copy both sides of one or more ID or business cards consecutively, and then print them onto a single page in the 2-in-1, 4-in-1 or 8-in-1 format.




Booklet Copy/Print

Booklets can be easily made from multi-page documents.



Quick Job

Frequently used functions or complicated copy/scan settings can be programmed to the QUICK JOB Key and recalled at the touch of a button, saving you time and trouble.



Secure Print

Print data is password-protected and temporarily stored on the computer's hard drive until the correct password is entered on the printer unit.




High Performance and Durability

The DP-MB500 Series features the basic performance that is essential to business use, in the form of high productivity and solid reliability. Equipped with Copy, Print, Scan, and Fax functions, it meets all your everyday needs.

High Productivity

The DP-MB545 enables high speed for both simplex and duplex printing at up to 45 pages per minute, and the DP-MB536 prints at up to 36 pages per minute. They simplify your workload by scanning copies at 45 ppm.

The first print time and first copy time are also fast, at approximately 5 seconds, for more efficient document output.



High Durability

The tough body design, which boasts a maximum monthly duty of 150,000 pages, maintains high reliability even under severe printing conditions, to boost work efficiency.

Large Paper Capacity

Together with the standard-equipped Multi-Purpose Tray, and optional Lower Input Tray this makes a total of four paper sources and a paper capacity of up to 1,750 sheets*. They can each be freely set to hold different paper sizes, or all used for high-volume printing, to meet your office's printing needs.

* Available on the DP-MB545CX. For the DP-MB536CX; up to 1,200 sheets.


Low Running Cost

Reducing total cost of ownership is a vital topic in today's business climate where documents are used in large volumes. The DP-MB500 Series proposes highly efficient ways to reduce paper consumption with Quick Duplexing. Long life consumables also help to lower running costs.

Reduce Paper Consumption


Quick Duplexing maintains high by productivity letting you perform duplex printing at the same speed* as simplex printing, while also cutting the amount of paper used to one-half. Combining this with the N in 1 print function reduces paper consumption even more. By using duplex printing with the 2 in 1 function, you can bring paper consumption all the way down to one-quarter. *For A4 size.

•When printing 20 pages



Long-Life Consumables

A long-life drum cartridge and high-yield toner cartridge, incorporating Panasonic's new, original developing system, is used. These new technologies further help to lower running costs.



The lifetime of the drum cartridge depends on the effects of stress applied to the toner inside the cartridge. In order to increase the lifetime of the cartridge with a reduction in toner stress, Panasonic's new drum cartridge controls the amount of toner supplied to the drum cartridge by sensing the toner residual amount and optimises the proportion of fresh & residual toner in the drum cartridge.

Patent pending: JP2015-167863, JP2015-167867

Mobile Print / Wi-Fi Direct

Documents can be directly printed from a mobile device by using AirPrint, Google Cloud Print, or Panasonic's Mobile Print Application. Wi-Fi Direct is also equipped, letting you print without having to go through a Wi-Fi router.



Department Code

Copying and printing can be restricted by the use of a department code. Additionally, the code effectively manages copying and printing usage.




Direct Print from USB Memory / Scan to USB Memory

Documents saved in USB memory can be directly printed without having to use a computer. Scanned data can also be directly saved in USB memory.



Easy Print Utility

This utility lets you merge and print files created with different applications, such as Microsoft Word and Excel. You can rearrange pages and check the print layout before printing.



Major Features

Printer Features

Copier Features

Scanner Features

Quick-Job

 Oulck ID
 •Image Repeat
 •2 in 1, 4 in 1, 8 in 1
 •Separate 2 in 1, 4 in 1

 •Poster (1x2 / 2x2 / 3x3)
 •Booklet
 •Edge/Margin
 •Zoom (25 - 400%)

 •Quick Job
 •Duplex Copy 1→2, 2→1, 2→2
 •Proof Copy
 •Mixed Size Copy

 •Rotate Sort Copy
 •A3 Book Copy
 •Mixed Size Copy

Auto Preview

Mixed Size Scan

Fax Features

 Address Book (Up to 300 stations) . LDAP Supported . Duplex Scanning/Printing PC Fax •Web Fax Preview ·Fax to E-mail Internet Fax

PC Software

Model			DP-MB545CX	DP-MB536CX
Printing Process			La	ser
General	Recording Paper Size (Simplex)		-Input tray: A4, A5, A6, LTR, B5(ISO/JIS), B6(ISO/JIS), 16K -Multi-purpose tray: A3, A4, A5, A6, Ledger, LTR, LGL, Folio/Foolscap (216 x 330 mm), Oficio (216 x 340 mm), B4(ISO/JIS), B5(ISO/JIS), B6(ISO/JIS), 16K, 8K, Envelope #10/DL/YOUKEI #4/CHOUKEI #3/CHOUKEI #4, Japanese Postcard, Custom (W: 85-297 mm, L: 200-600 mm	
	Recording Paper Capacity ¹²		Max: 1,750 sheets (Standard input tray: 550 sheets / Multi-purpose tray: 100 sheets / Optional Lower input tray: 550 sheets x 2)	Max: 1,200 sheets [Standard input tray: 550 sheets / Multi-purpos tray: 100 sheets / Optional lower input tray: 550 sheets x 1]
	Recording Paper Weight		-Standard input tray: 60 g/m² - 105 g/m² (Simplex and Duplex) -Multi-purpose tray: 60 g/m² - 220 g/m² (Simplex), 60 g/m² - 105 g/m² (Duplex)	
	Automatic Document Feeder Capacity		75 sheets	
	Document Size Automatic Document Feeder		-Single-sided: A4, A5, A6, LTR, LGL, B5[JIS/ISO], B6[JIS/ISO], 16K, Folio/Foolscap [216 x 330 mm], Oficio [216 x 340 mm], Long paper [W: 210-216 mm, L: 356-600 mm -Double-sided: A4, A5, A6, LTR, LGL, B5[JIS/ISO], B6[JIS/ISO], 16K, Folio/Foolscap [216 x 330 mm], Oficio [216 x 340 mm]	
		Flatbed	Up to LGL	
	LCD Display		4.3-inch Colour Touch Screen	16 digits / 2 lines (Backlit LCD)
	Memory Size		1,024 MB	512 MB
	Department Code		1	00
	Quick Job Key		10 jobs (Shared between Copy and Scan)	Copy: 3 jobs / Scan: 3 jobs
	Monthly Duty		Average: 10,000 pages /	Maximum: 150,000 pages
	Power Consumption		Max.: Approx. 1,550 W, Copy: Approx 800 W, Ready: Approx. 90 W, Steep: Less than 2.2 W (USB connection) / Less than 2.6 W (Wired LAN) / 3.0 W (Wireless LAN)	
	Computer Interface		IEEE802.11b/g/n, 1000Base-T, 100Base-TX/10Base-T, USB2.0	
	Media Port		U	SB
	Print Speed		Up to 45 ppm (A4), Up to 24 ppm (A3)	Up to 36 ppm [A4], Up to 20 ppm [A3]
	Duplex Productivity		100 % [45 ppm, A4]	100 % (36 ppm, A4)
Printer	Print Resolution		Up to 1,200 x 1,200 dpi (True)	
rinter	First Print Time		Approx. 5 s	
	Emulation		Adobe® PostScript® 3™, PCL 6, GDI	PCL 6, GDI
	Supported OS for Printer		Windows® XP, Windows Vista®, Windows® 7, Windows 8, Windows 8.1, Windows	10, Windows Server® 2008, Windows Server® 2012, Mac OS X 10.5-10.11, Linux®
	Copy Speed		Up to 45 cpm [A4]	Up to 36 cpm (A4)
Copier	Copy Resolution		Up to 1,200 x 1,200 dpi	
oopiei	Multi-Copy		99 pages	
	First Copy Time		Approx. 5 s (Flatbed copy)	
	Colour / Mono Scan		Yes / Yes	
	Scan Resolution		Optical: Up to 1,200 x 1,200 dpi, Interpolated: Up to 19,200 x 19,200 dpi	
Scanner	Duplex Scan		Yes	
	Scan Speed (B/W, 300 dpi)		Simplex: 45 ppm / Duplex: 16 ppm	
	Supported OS for Scanner		Windows® XP, Windows Vista®, Windows® 7, Windows 8, Windows 8.1, Windows 10, Mac OS X 10.5-10.11, Linux® 3	
	Fax Modern Speed		33.6 kbps - 2.4 kbps with automatic fallback	
	Internet Fax		Yes	
	Fax Memory Capacity		Reception: Approx. 400 pages 4, Transmission: Approx. 200 pages 4	
Facsimile	Address Book		300 and LDAP	300 + 6 and LDAP
	One-Touch Dial		-	6
	Fax / Tel Switch		Yes	
	Handset		Yes	
Dimensions (W x D x H)			Approx. 530 x 475 x 615 mm [With trays closed]*5 / Approx. 606 x 726 x 680 mm [With both multi-purpose tray and document trays open] Approx. 31.2 kg*4	
Weight			Approx.	31.2 kg*
Optional Lower Input Tray			DA-FAP109	DA-FAP110
Recording Paper Size (Simplex)			A4. A5. LTR	A4, A5, LTR, LGL, Folio/Foolscap (216 x 330 mm), Oficio (216 x 340 mm)

Optional Lower Input Tray	DA-FAP109	DA-FAP110
Recording Paper Size (Simplex)	A4, A5, LTR	A4, A5, LTR, LGL, Folio/Foolscap (216 x 330 mm), Oficio (216 x 340 mm), B5(ISO/JIS), 16K, Custom (W:210-216mm, L:279-356mm)
Recording Paper Capacity ^{*2}	550 sheets	550 sheets
Recording Paper Weight	60 g/m ² - 105 g/m ² (Simplex and Duplex)	60 g/m ² - 105 g/m ² (Simplex and Duplex)
Dimensions (W x D x H)	530 x 433 x 151 mm ⁻⁷	530 x 573 x 151 mm ⁻⁷
Weight	8.4 kg	8.9 kg

Consumables

Toner Cartridge ¹⁸	DQ-TCD025E (25,000 pages, ISO/IEC 19752 standard)	
Drum Cartridge	DQ-DCD100E [100,000 pages]	

*1 Central Management Controller is provided via web download. Please visit (http://panasonic.net/pcc/products/aio/cmc/) for more information. *2 Depending on the type of paper, *3 Supported Linux distribution: Red Hat* Enterprise Linux* Desktop 5/6/7. Ubuntu* 10/11/2/3/14/15. Driver is provided via web download. *4 Based on the ITU-T No. 1 Test Chart in standard resolution. *5 Excluding handset the width including handset unit is 570 mm. *6 Excluding consumables. *7 Excluding projection. *8 5,000-page starter toner is included. (ISO/IEC 19752 standard)













Adobe, PostScript and PostScript 3 are either registered trademarks or trademarks of Adobe System Incorporated in the United States and/or other countries.
 Wi-Fi, Wi-Fi Direct and the Wi-Fi CERTIFIED logo are registered trademarks or trademarks or trademarks of Wi-Fi Alliance.
 Windows Vista Windows Server and Excel are registered trademarks of Microsoft Corporation in the United States and /or other countries.
 Mac, OS X and AirPrint are trademarks of Apple Inc., registered in the U.S. and other countries.
 Elinux is the registered trademark or trademarks of trademarks of Tademarks of Tademarks of Tademarks of Tademarks of Tademarks of Tademarks of Tademark or trademarks of Tademark or trademark or

Design and specifications are subject to change without notice.





ITCOMM KODE: P.P.K.DP-MB545CX.DP-MB536CX.JUNI.2016